

2017 Air Quality Annual Status Report (ASR) In fulfilment of Part IV of the Environment Act 1995 Local Air Quality Management

Date (May 2019)

Local Authority Officer	Gareth Rees
Department	Environmental Protection Community Services
Address	North West Leicestershire District Council, Council Offices, Whitwick Road, Coalville, Leicestershire, LE67 3FJ
Telephone	01530 454545
E-mail	Environmental.protection@nwleicestershire.gov.uk
Report Reference number	NWLDC-ASR-2017
Date	May 2019

1 Executive Summary: Air Quality in Our Area

1.1 Air Quality in North West Leicestershire District Council

Air pollution is associated with a number of adverse health impacts. It is recognised as a contributing factor in the onset of heart disease and cancer. Additionally, air pollution particularly affects the most vulnerable in society: children and older people, and those with heart and lung conditions. There is also often a strong correlation with equalities issues, because areas with poor air quality are also often the less affluent areas^{1,2}.

The annual health cost to society of the impacts of particulate matter alone in the UK is estimated to be around $\pounds 16$ billion³.

Six AQMAs were designated in North West Leicestershire during the first round of review and assessment for the level of nitrogen dioxide concentrations. After Further Assessments it was determined that only two of these locations required AQMA designations and the remaining four were revoked. The Update and Screening Assessment (USA) undertaken in 2006 [1] concluded that these two sites should remain AQMAs and identified three additional locations where Detailed Assessments should be undertaken to determine whether new AQMAs were required for nitrogen dioxide concentrations.

The Detailed Assessment [6] undertaken in September 2007 of the three locations identified as possible areas for AQMAs in the USA 2006 [1], the three locations were High Street/Bondgate in Castle Donington, Broom Leys Road, Coalville and Bardon Road, Coalville, found that exceedences of the nitrogen dioxide objective were occurring in Castle Donington at properties located next to the carriageway along High Street and Bondgate due to traffic emissions. Monitoring at both locations in Coalville identified nitrogen dioxide concentrations that exceeded the mean annual

¹ Environmental equity, air quality, socioeconomic status and respiratory health, 2010

² Air quality and social deprivation in the UK: an environmental inequalities analysis, 2006

³ Defra. Abatement cost guidance for valuing changes in air quality, May 2013

objective during 2005, 2006 and 2007. The Detailed Assessment concludes that AQMAs should be designated at all three locations. As a result of these reports, two additional AQMAs were designated; the first in Castle Donington and the second covering Broom Leys Road and Bardon Road in Coalville,

The Air Quality Progress Report conducted in April 2008 [7] recommended that a detailed assessment of the village of Copt Oak and the area surrounding East Midlands airport be undertaken to determine if AQMAs should be determined at these locations.

The Detailed Assessment of Copt Oak published in January 2009 [9] found that an AQMA should be declared and that the area should cross the district boundary to include an area within the borough of Hinckley and Bosworth.

The Detailed assessment of East Midlands airport published in March 2009 [8] concluded that the Air quality objective for NO₂ would not be exceeded within 1000m of the airport as a result of air traffic emissions.

The further assessment of Bardon Road, Coalville published in February 2009 [10] supported the original declaration of the AQMA comprising the four residential properties at Broom Leys Junction and the one hundred and seventy two residential properties on Bardon Road.

The further assessment of High Street Castle Donington published in April 2009 [11] supported the original declaration of the AQMA comprising ninety one residential properties on High Street and Bondgate, Castle Donington.

The update and screening assessment published October 2009 [11] found that a detailed assessment for SO_2 was required in some areas of the district in relation to the burning of solid fuel, to which this report relates. The report also recommended that the M1 AQMA is expanded to include an exceedance of the 1-hour mean objective for NO_2 as the yearly mean has exceeded $60\mu gm^{-3}$.

The Progress Report published in April 2010 [12] found no significant change in the district.

A Detailed Assessment for SO₂ was conducted in 2010 [13]. This found that solid fuel usage within off-gas areas of the district was insufficient to warrant further investigation.

A Detailed assessment of the M1 AQMA conducted in 2011 [15] found that most of the declared area could be revoked as there is either no relevant receptor or the annual mean air quality standard for NO₂ is not being exceeded.

A Detailed Assessment of the Coalville AQMA conducted in 2011 [14] found that the declared area could be reduced to the declared area of Stephenson Way as the annual mean air quality standard for NO₂ is not being exceeded along Bardon Road.

The 2011 progress report [16] found that Broomleys junction in the Coalville AQMA exceeded the 1-hour mean air quality standard for NO₂ and recommended that a detailed assessment be undertaken.

The progress report also found that the current air quality action plan is insufficient and needs to be updated.

The 2011 detailed assessment of 1-hour Mean Air Quality Standard at Broomleys junction Coalville[17] found that the 1-hour mean air quality standard was being exceeded and the AQMA should be amended.

The 2012 detailed assessment of Castle Donington[19] found that a large proportion of the AQMA was not exceeding the air quality standard and recommended the AQMA be amended.

The 2012 Further assessment of Copt Oak [20] found that a large proportion of the AQMA was not exceeding the Air Quality Standard and recommended the AQMA be amended.

The 2012 Detailed assessment of Kegworth [21] found that it was likely that most of the AQMA was exceeding the Air Quality Standard and recommended a new monitoring location was installed in the north of the AQMA.

The 2013 Further assessment of Coalville AQMA[22] found that some of its area was not exceeding the annual mean or hourly mean air quality standards for NO₂. The report recommended that a traffic survey be undertaken to further inform action planning

1.2 Local Engagement and How to get Involved

The main contributions that our community can make to improving air quality are around minimising emissions from traffic and other sources and limiting exposure at times of poor air quality. Specifically that means avoiding unnecessary car use for short journeys, utilising public transport where possible, buying and maintaining low emissions vehicles and being linked in to the national alert system for predicted episodes of poor air quality.

The public can get further information on Air Quality from the following websites

- North West Leicestershire District Council Air quality website <u>http://www.nwleics.gov.uk/pages/air_quality</u>
- DEFRAs UK-AIR: Air information Resource website
 <u>https://uk-air.defra.gov.uk/</u>
- DEFRAs Local Air Quality Management (LAQM) Support website <u>http://laqm.defra.gov.uk/</u>
- Environmental Protection UK Air Pollution website
 <u>http://www.environmental-protection.org.uk/policy-areas/airguality/about-air-pollution/</u>

<u>1</u>	Execu	tive Sun	nmary: Air Quality in Our Area	ii						
	1.1	Air Qu	ality in North West Leicestershire District Council	ii						
	1.2	1.2 Local Engagement and How to get Involved								
	1.3	1.3 List of Tables								
	1.4	List of	Figures	vii						
<u>2</u>	Local	Air Qual	ity Management	1						
<u>3</u>	Action	s to Imp	rove Air Quality	1						
	3.1	Air Qu	ality Management Areas	1						
	3.2	Progress and Impact of Measures to address Air Quality in								
	North West Leicestershire District Council									
	3.3	PM _{2.5} ·	PM _{2.5} – Local Authority Approach to Reducing Emissions							
		and/or	Concentrations	3						
<u>4</u>	<u>Air Qu</u>	ality Mo	nitoring Data and Comparison with Air Quality							
	<u>Objec</u>	tives and	National Compliance	4						
	4.1	Summ	ary of Monitoring Undertaken	4						
		4.1.1	Automatic Monitoring Sites	4						
		4.1.2	Non-Automatic Monitoring Sites	4						
	4.2	Individ	ual Pollutants	5						
		4.2.1	Nitrogen Dioxide (NO2)	5						
		4.2.2	Particulate Matter (PM10)	6						

1.3 List of Tables

Table 3.1	Declared Air Quality Management Areas	2
Table A.1	Details of Automatic Monitoring Sites	7
Table A.2	Details of Non-Automatic Monitoring Sites	8
Table A.3	Annual Mean NO ₂ Monitoring Results	.10
Table A.4	1-Hour Mean NO ₂ Monitoring Results	.12
Table A.5	Annual Mean PM ₁₀ Monitoring Results	.13
Table A.6	24-Hour Mean PM ₁₀ Monitoring Results	.13
Table B.1	NO ₂ Monthly Diffusion Tube Results - 2017	.14
Table F.1	Summary of Air Quality Objectives in England	7

1.4	List of Figures
-----	-----------------

Figure B.1	Fraction of Mortality attributable to particulate air pollution	
	– East Midlands region	19
Figure D.1	Map of Automatic Monitoring Sites	21
Figure D.2	Map of Non-Automatic Monitoring Sites	22
Figure E.1	Kegworth AQMA (highlighted in blue)	2
Figure E.2	M1 AQMA (Outlined in Dark Blue)	3
Figure E.3	Castle Donington Air Quality Management Area	4
Figure E.4	Coalville Air Quality Management Area (Broom Leys	
	Junction)	5
Figure E.5	Copt Oak AQMA	6

2 Local Air Quality Management

This report provides an overview of air quality in North West Leicestershire District Council during 2016. It fulfils the requirements of Local Air Quality Management (LAQM) as set out in Part IV of the Environment Act (1995) and the relevant Policy and Technical Guidance documents.

The LAQM process places an obligation on all local authorities to regularly review and assess air quality in their areas, and to determine whether or not the air quality objectives are likely to be achieved. Where an exceedance is considered likely the local authority must declare an Air Quality Management Area (AQMA) and prepare an Air Quality Action Plan (AQAP) setting out the measures it intends to put in place in pursuit of the objectives. This Annual Status Report (ASR) is an annual requirement showing the strategies employed by North West Leicestershire District Council to improve air quality and any progress that has been made.

3 Actions to Improve Air Quality

3.1 Air Quality Management Areas

Air Quality Management Areas (AQMAs) are declared when there is an exceedance or likely exceedance of an air quality objective. After declaration, the authority must prepare an Air Quality Action Plan (AQAP) within 12-18 months setting out measures it intends to put in place in pursuit of compliance with the objectives.

A summary of AQMAs declared by North West Leicestershire District Council can be found in Table 3.1 . Further information related to declared or revoked AQMAs, including maps of AQMA boundaries are available online at <u>https://uk-air.defra.gov.uk/aqma/local-authorities?la_id=184</u>.

Table 3.1Declared Air Quality Management Areas
--

AQMA Name	Date of Declarati on	Pollutant s and Air Quality Objective	City / Town	One Line Description	Is air quality in the AQMA influenced by roads controlled	Level of Exceedance (maximum monitored/modelled concentration at a location of relevant exposure)		Action Plan (inc. date of publicatio
		S			by Highways England?	At Declaratio n	Now	n)
Kegworth	26/07/2004	NO2 Annual Mean	Kegworth	Busy trunk road fronted by residential properties	NO		36.7	
M1	26/07/2004	NO2 Annual Mean	Kegworth	Motorway with selected close properties.	YES	51.9	29.45	
	11/07/2001	NO2 1 Hour Mean	Kegworth		YES	64.7		
Castle Donington	09/01/2008	NO2 Annual Mean	Castle donington	An area encompassing the High Street and Bondgate area of Castle Donnington.	NO	47.83	49.83	
Coalville	09/01/2008	NO2 Annual Mean	Coalville	An area encompassing parts of Stephenson Way, Broom Leys Road and Bardon Road in Coalville.	NO			
	08/02/2012	NO2 1 Hour Mean	coalville		NO			
Copt oak	30/07/2009	NO2 Annual Mean	Coptoak	An area of the village of Copt Oak that lies within the boundaries of NW Leicestershire District Council.	YES			

North West Leicestershire District Council confirm the information on UK-Air regarding their AQMA(s) is up to

date (confirm by selecting in box)

3.2 Progress and Impact of Measures to address Air Quality in North West Leicestershire District Council

North West Leicestershire District Council is working with Leicestershire County Council Highways department in drafting a new air quality action plan

3.3 PM_{2.5} – Local Authority Approach to Reducing Emissions and/or Concentrations

As detailed in Policy Guidance LAQM.PG16 (Chapter 7), local authorities are expected to work towards reducing emissions and/or concentrations of PM_{2.5} (particulate matter with an aerodynamic diameter of 2.5µm or less). There is clear evidence that PM_{2.5} has a significant impact on human health, including premature mortality, allergic reactions, and cardiovascular diseases.

The Public Health Outcomes Framework (PHOF) (http://www.phoutcomes.info/) is a Department of Health data tool for England, intended to focus public health action on increasing healthy life expectancy and reducing differences in life expectancy between communities. The tool uses indicators to assess improvements. Recognising the significant impact that poor air quality can have on health, the PHOF includes an indicator relating to fine particulate matter (PM_{2.5}).

The indicator in the PHOF reports the estimates fraction of all-cause adult mortality attributable to anthropogenic particulate air pollution (measured as fine particulate matter).

Based on the latest available figures the position in North West Leicestershire district can be compared to the situation across the rest of England, East Midlands and nearby districts as shown in Figure C.1 in Appendix C. North West Leicestershire has:

- the highest fraction of attributable deaths to particulate air pollution in Leicestershire;
- one of the highest in fraction in the east midlands ; and LAQM Annual Status Report 2017

• is slightly lower than other areas in the east midlands

PM2.5 background air quality data published by DEFRA shows the district has background concentrations between 9.06µgm-3 and 13.12µgm-3

4 Air Quality Monitoring Data and Comparison with Air Quality Objectives and National Compliance

4.1 Summary of Monitoring Undertaken

4.1.1 Automatic Monitoring Sites

This section sets out what monitoring has taken place and how it compares with objectives.

North West Leicestershire District Council undertook automatic (continuous) monitoring at 1 sites during 2016.

Aggregate Industries undertook automatic (continuous) monitoring at 1 site during 2016

 Table A.1 in Appendix A:shows the details of the sites.

Maps showing the location of the monitoring sites are provided in Appendix C:. Further details on how the monitors are calibrated and how the data has been adjusted are included in Appendix G:.

4.1.2 Non-Automatic Monitoring Sites

North West Leicestershire District Council undertook non- automatic (passive) monitoring of NO₂ at 31 sites during 2016.

Table A.2 in Appendix A:shows the details of the sites.

Maps showing the location of the monitoring sites are provided in **Figure D.2** in Appendix D:.

Further details on Quality Assurance/Quality Control (QA/QC) for the diffusion tubes, including bias adjustments and any other adjustments

applied (e.g. "annualisation" and/or distance correction), are included in Appendix F: and Appendix A:

4.2 Individual Pollutants

The air quality monitoring results presented in this section are, where relevant, adjusted for bias, "annualisation" and distance correction. Further details on adjustments are provided in Appendix A:

4.2.1 Nitrogen Dioxide (NO₂)

Table A.3 in Appendix A compares the ratified and adjusted monitored NO₂ annual mean concentrations for the past 5 years with the air quality objective of $40\mu g/m^3$.

For diffusion tubes, the full 2016 dataset of monthly mean values is provided in **Table B.1** in Appendix B.

Table A.4 in Appendix A compares the ratified continuous monitored NO_2 hourly mean concentrations for the past 5 years with the air quality objective of $200\mu g/m^3$, not to be exceeded more than 18 times per year.

4.2.1.1 Coalville AQMA

All locations were lower than the air quality standard

4.2.1.2 Castle Donington AQMA

The location on the facade of 34 Bondgate exceeded the air quality standard.

all other locations were below the air quality objective

4.2.1.3 Kegworth AQMA

All locations were substantially lower than the air quality standard

4.2.1.4 Copt Oak AQMA

All locations were substantially lower than the air quality standard.

A location on the kerb of the M1 exceeded however there are no relevant

receptors linked to this location

LAQM Annual Status Report 2017

4.2.1.5 M1 AQMA

The only receptor was substantially below the air quality objective

4.2.1.6 Other locations

No locations outside of AQMAs exceeded the air quality standards

4.2.2 Particulate Matter (PM₁₀)

No exceedances of the PM10 air quality standards was detected

Table A.5 in Appendix A compares the ratified and adjusted monitored PM_{10} annual mean concentrations for the past 5 years with the air quality objective of $40\mu g/m^3$.

Table A.6 in Appendix A compares the ratified continuous monitored PM_{10} daily mean concentrations for the past 5 years with the air quality objective of $50\mu g/m^3$, not to be exceeded more than 35 times per year.

Appendix A: Monitoring Results

			OS Grid	OS Grid Ref				Distance to	Distance		
Site ID	Site Name	Site Type	x	Y Pollutants In Monitored AQM		Monitoring Technique	Relevant Exposure (m) (1)	to kerb of nearest road (m) (2)	Inlet Height (m)		
1A	Coalville	Roadside	443660	314002	NO NO2 NOx	Chemilum inescence	Y	5.8	2	2	
4A	Bradgate Drive Coalville	Other	445147	313563	PM10	Partisol 2025 Sequentia I sampler	N	Y	N/A	2	

Om if the monitoring site is at a location of exposure (e.g. installed on the façade of a residential property). N/A if not applicable.

Table A.2 Details of Non-Automatic Monitoring Sites

Sit			OS Grid	Ref	Tu	Po	5		Di	a C An	X	Не
Site ID	Site Name	Site Type	X	Y	Tube No.	Pollutants Monitored	AQMA?	Distance to Relevant Exposure (m) (1)	Distance to kerb of nearest road (m) (2)	Tube collocated with a Continuous Analyser?	Worst Case Location	Height (m)
06N	Broomleys junction (1)	Roadside	443632	314026	6	NO ₂	Y	5.8	2	N	Y	2
08N	End Cottage Copt Oak	Rural	448138	313012	8	NO ₂	Y	0	N/A	Ν	Ν	2
12N	AEROPARK Castle Donington	Other	444161	326355	12	NO ₂	Ν	Ν	N/A	Ν	Ν	2
14N	69 HIGH Street Castle Donington	Roadside	444216	326788	14	NO ₂	Ν	0	2.9	Ν	Y	2
16N	Bondgate crossroads Castle Donington	Roadside	444450	327233	16	NO ₂	Ν	7.53	1	Ν	Y	2
17N	13 Bondgate Castle Donington	Roadside	444512	327335	17	NO ₂	Υ	2	2.5	N	Y	2
18N	34 Bondgate Castle Donington	Roadside	444580	327411	18	NO ₂	Υ	0	2.3	N	Y	2
19N	94 Bondgate Castle Donington	Roadside	444707	327603	19	NO ₂	Y	0.8	1.4	N	Y	2
20N	Derby Road Kegworth	Roadside	448523	326885	20	NO ₂	Y	3.2	1	N	Y	2
22N	Kegworth A6 2	Roadside	448817	326621	22	NO ₂	Y	0	2.3	N	Y	2
23N	120 Whatton Road Kegworth	Suburban	448108	326305	23	NO ₂	Ν	Ν	N/A	N	Y	2
26N	Molehill House	Roadside	447457	326420	26	NO ₂	Υ	0	50	Ν	Y	2
31N	Sinope	Roadside	440167	315264	31	NO ₂	Ν	7.8	3.2	N	Y	2
32N	M1 Bridge Copt Oak	Other	448082	313100	30	NO ₂	Ν	Ν	N/A	N	Y	2
35N	Monitoring station Coalville (1)	Roadside	443660	314002	7	NO ₂	Y	5.8	2	Y	Y	2
36N	Monitoring station Coalville (2)	Roadside	443660	314002	27	NO ₂	Y	5.8	2	Y	Y	2
37N	Monitoring station Castle Donington (1)	Roadside	444534	327365	24	NO ₂	Υ	0	1	Y	Y	2
38N	Monitoring station Castle Donington (2)	Roadside	444534	327365	25	NO ₂	Υ	0	1	Y	Y	2
39N	NEW M1 LW	Other	446935	323744	11	NO ₂	Y	Ν	N/A	N	Ν	2
40N	35 High Street Castle Donington	Roadside	444323	326975	13	NO ₂	Ν	3	0.9	N	Y	2
41N	18 High Street Castle Donington	Roadside	444474	327171	15	NO ₂	Ν	4	1	N	Y	2

Site			OS Grid	Ref	Tu	Ро	n	Di:	Di: ne	Tu a C An	X	He
ΈD	Site Name	Site Type	X	Y	Tube No.	Pollutants Monitored	AQMA?	Distance to Relevant Exposure (m) (1)	Distance to kerb of nearest road (m) (2)	ube collocated with Continuous unalyser?	Worst Case Location	Height (m)
43N	Direction Sign Bardon Rd/A511 RBT Coalville	Roadside	443675	313642	2	NO ₂	Y	2.4	3	N	N	2
45N	Outside corner farm Copt Oak	Roadside	448119	312920	4	NO ₂	Y	27	4.3	Ν	Ν	2
46N	PO Derby Road Kegworth	Roadside	448724	326702	21	NO ₂	Y	0	1.3	Ν	Y	2
47N	12 Derby Rd Kegworth	Roadside	448639	326805	28	NO ₂	Υ	4.7	2.5	Ν	Y	2
48N	28 London Road Kegworth	Roadside	448792	326533	29	NO ₂	Υ	0.8	1.5	Ν	Y	2
49N	Hugglescote crossroads	Roadside	442578	312871	5	NO ₂	Ν	4.1	2.5	Ν	Y	2
50N	10 Central Road Hugglescote	Roadside	442562	312823	10	NO ₂	Ν	5.4	1	Ν	Y	2
51N	40mph sign N of petrol station	roadside	448361	326997	3	NO ₂	Y	9.6	3.2	Ν	Y	2
52N	lamppost 65 Derby Road Kegworth	roadside	448436	326931	9	NO ₂	Y	5.9	2.5	Ν	Y	2
53N	20mph sign outside 10 Greenhill Road	roadside	448436	326931	24	NO ₂	Ν	5.9	2.5	Ν	у	2
54N	Parking restrictions sign adj drive 12 & 20 Park Lane Castle Donington	roadside	444331	327257	25	NO ₂	Ν	8.8	2.0	Ν	у	2
56N	lampost adjacent 27 Broomleys road	Roadside	443649	314040	1	NO2	Υ	1.8	1.2	Ν	у	2

Om if the monitoring site is at a location of exposure (e.g. installed on/adjacent to the façade of a residential property). N/A if not applicable.

Site		Mo	Va for (%	Valid 2015	NO2	Annual I	Mean Co	oncentr	ation (µ	g/m3) (3	3)	
e ID	Site Name	Monitoring 1	Valid Data Capture for Monitoring Period (%) ⁽¹⁾	Data (%) ⁽²⁾	2009	2010	2011	2012	2013	2014	2015	2016
		Туре	Capture ring Period	Capture	BAF = 0.9	BAF= 1.06	BAF= 1.06	BAF= 0.91	BAF= 0.87	BAF= 0.98	BAF= 0.95	BAF= 1.01
1A	Coalville	Automatic	97.2	97.2		67.1	36.96	45.56	43.73	46.9	45.1	50.0
06N	Broomleys junction (1)	Diffusion Tube	100.0	100.0	39.37	43.77	39.66	41.18	36.11	38.06	35.32	35.53
08N	End Cottage Copt Oak	Diffusion Tube	100.0	100.0	29.02	33.76	31.27	30.94	28.64	26.82	23.67	25.85
12N	AEROPARK Castle Donington	Diffusion Tube	83.3	83.3	17.44	28.36	21.68	22.37	23.65	21.27	18.06	19.01
14N	69 HIGH Street Castle Donington	Diffusion Tube	100.0	100.0	25.42	33.14	29.33	28.36	29.36	26.69	21.18	22.96
16N	Bondgate crossroads Castle Donington	Diffusion Tube	91.7	91.7	33.46	42.10	33.44	35.57	36.62	37.22	31.64	34.19
17N	13 Bondgate Castle Donington	Diffusion Tube	83.3	83.3	33.61	44.69	36.13	37.23	37.05	37.06	31.58	31.07
18N	34 Bondgate Castle Donington	Diffusion Tube	91.7	91.7	43.94	57.88	59.07	49.22	49.52	53.04	45.66	49.77
19N	94 Bondgate Castle Donington	Diffusion Tube	100.0	100.0	29.78	41.14	35.95	34.43	32.41	32.92	25.93	32.56
20N	Derby Road Kegworth	Diffusion Tube	91.7	91.7	35.69	43.18	33.48	35.16	32.84	31.28	27.32	29.13
22N	Kegworth A6 2	Diffusion Tube	100.0	100.0	36.95	46.50	38.64	35.95	34.08	35.69	28.66	33.50
23N	120 Whatton Road Kegworth	Diffusion Tube	100.0	100.0	18.75	27.82	24.19	24.80	23.96	20.66	14.48	20.84
26N	Molehill House	Diffusion Tube	100.0	100.0	40.64	41.29	36.13	37.08	33.64	34.24	29.41	29.45
31N	Sinope	Diffusion Tube	100.0	100.0	30.44	37.89	38.78	36.70	32.99	31.49	20.31	30.75
32N	M1 Bridge Copt Oak	Diffusion Tube	100.0	100.0	58.28	71.21	50.79	50.55	49.16	53.61	56.49	55.02
35N	Monitoring station Coalville (1)	Diffusion Tube	83.3	83.3		48.90	39.32	35.95	36.54	38.17	32.54	37.56
36N	Monitoring station Coalville (2)	Diffusion Tube	83.3	83.3		47.90	31.62	40.45	42.37	37.52	32.12	36.46
39N	NEW M1 LW	Diffusion Tube	83.3	83.3		34.35	31.91	29.62	32.28	29.87	26.03	27.28
40N	35 High Street Castle Donington	Diffusion Tube	100.0	100.0			27.52	31.02	29.36	27.81	22.18	23.51
41N	18 High Street Castle Donington	Diffusion Tube	100.0	100.0			37.67	39.71	41.25	42.24	35.64	38.43
43N	Direction Sign Bardon Rd/A511 RBT Coalville	Diffusion Tube	91.7	91.7			33.47	32.26	28.95	25.83	23.77	29.09

Table A.3Annual Mean NO2 Monitoring Results

Site		Mo	Val for (%)	Valid 2015	NO2	Annual I	Mean Co	oncentr	ation (µ	g/m3) (3	3)	
e ID	Site Name	Monitoring 1	id Data Monito (1)	Data (%) ⁽²⁾	2009	2010	2011	2012	2013	2014	2015	2016
		Туре	Capture ring Period	Capture	BAF = 0.9	BAF= 1.06	BAF= 1.06	BAF= 0.91	BAF= 0.87	BAF= 0.98	BAF= 0.95	BAF= 1.01
45N	Outside corner farm Copt Oak	Diffusion Tube	100.0	100.0			38.79	35.41	34.08	33.84	29.67	33.51
46N	PO Derby Road Kegworth	Diffusion Tube	91.7	91.7			44.12	42.52	42.78	40.60	32.09	36.72
47N	12 Derby Rd Kegworth	Diffusion Tube	91.7	91.7			32.86	43.59	37.92	39.29	31.48	35.73
48N	28 London Road Kegworth	Diffusion Tube	100.0	100.0			45.15	40.19	40.96	42.22	33.37	35.19
49N	Hugglescote crossroads	Diffusion Tube	100.0	100.0				27.02	33.58	33.34	32.13	34.39
50N	10 Central Road Hugglescote	Diffusion Tube	83.3	83.3				27.96	34.29	34.66	29.29	35.06
51N	40mph sign N of petrol station Kegworth	Diffusion Tube	100.0	100.0					37.78	36.10	30.60	30.67
52N	lamppost 65 Derby Road Kegworth	Diffusion Tube	91.7	91.7					37.19	37.31	30.58	32.16
53N	20mph sign outside 10 Greenhill Road	Diffusion Tube	100.0	100.0						26.94	18.75	21.87
54N	Parking restrictions sign adj drive 12 & 20 Park Lane Castle Donington	Diffusion Tube	75.0	75.0						34.82	22.70	22.82
56N	lampost adjacent 27 Broomleys road	Diffusion Tube	100.0	16.7							36.75	35.88

Notes: Exceedances of the NO₂ annual mean objective of 40µg.m⁻³ are shown in **bold**.

NO₂ annual means exceeding 60µg/m³, indicating a potential exceedance of the NO₂ 1-hour mean objective are shown in <u>bold and underlined</u>. data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(1) data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

(2) Means for diffusion tubes have been corrected for bias. means in green cells have been "annualised" as per Technical Guidance LAQM.TG16 if valid data capture for the full calendar year is less than 75%. See Appendix C for details.

				Valid Data	Valid Data	NO2 1-Hour Means > 200µg/m ^{3 (3)}									
Site) ID	Site Type	Monitoring Type	Capture for Monitoring Period (%) (1)	Capture 2015 (%) (2)	2010	2011	2012	2013	2014	2015	2016			
1	Coalville	Roadside		97.2	97.2	29 (270.4 4)	20	3	2	7	0	4			

Notes: Exceedances of the NO₂ 1-hour mean objective (200µg.m⁻³ not to be exceeded more than 18 times/year) are shown in **bold**.

(1) data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

(3) If the period of valid data is less than 85%, the 99.8th percentile of 1-hour means is provided in brackets.

(4) Boxes shade green indicate the result has been annualised inline with Box 7.9 – Example: Annualising Continuous Monitoring Data of LAQM.TG(16)

Table A.5	Annual Mean PM ₁₀ Monitoring Results
-----------	---

		Valid Data Capture for	Valid Data	PM10 Ani	PM10 Annual Mean Concentration (µg.m ⁻³) (3)									
Site ID	Site Name	Monitoring Period (%) ⁽¹⁾	Capture 2015 (%) ⁽²⁾	2011	2012	2013	2014	2015	2016					
4	Bradgate drive Coalville	96.71	96.71	21.73	19.93	21.67	22.23	21.69	19.31					

Notes: Exceedances of the PM₁₀ annual mean objective of 40µg.m⁻³ are shown in **bold**.

(1) data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

(3) All means have been "annualised" as per Technical Guidance LAQM.TG16, valid data capture for the full calendar year is less than 75%. See Appendix C for details.

Table A.624-Hour Mean PM10 Monitoring Results

Site ID	Site Name	Valid Data Capture for Monitoring Period	Valid Data Capture 2015	PM10 24-Hour Means > 50 μg.m ⁻³ (3)									
one ib	one name	(%) ⁽¹⁾	(%) ⁽²⁾	2011	2012	2013	2014	2015	2016				
4	Bradgate drive Coalville	96.71	96.71	11	9	14	12	20	8				

Notes: Exceedances of the PM₁₀ 24-hour mean objective (50µg.m⁻³ not to be exceeded more than 35 times/year) are shown in **bold**.

(1) data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

(3) If the period of valid data is less than 85%, the 90.4th percentile of 24-hour means is provided in brackets.

Appendix B: Full Monthly Diffusion Tube Results for 2017

Site ID		NO ₂	Mean	Conc	entra	tions (μ <mark>g.</mark> m ⁻	³)								
Ð														Annual	Mean	
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Raw Data	Bias Adjusted (1)	Distance Corrected to Nearest Exposure (2)
06N	Broomleys junction (1)	34	34	31	29	34	32	30	35	38	36	43	46	35.17	35.53	28.61
08N	End Cottage Copt Oak	29	25	23	23		25	20		25	28	33		25.59	25.85	Not Roadside
12N	AEROPARK Castle Donington	20	22	15	13		13	14	19	20	23	29		18.83	19.01	Not Roadside
14N	69 HIGH Street Castle Donington	21	26	20	21	25	17	13	22	24	29	32		22.73	22.96	N/A
16N	Bondgate crossroads Castle Donington	32	31	25	32	35	33	27	35	39		43	42	33.86	34.19	25.40
17N	13 Bondgate Castle Donington	33		28	30		15	26	34	5	41	49	45	30.77	31.07	28.57
18N	34 Bondgate Castle Donington	46	48	36	43	55	42	37	45	50	55	69	64	49.28	49.77	N/A

Table B.1NO2 Monthly Diffusion Tube Results - 2017


Site		NO ₂	Mean	Conc	entra	tions (µg.m⁻	³)								
Ð														Annua	Mean	
		Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Raw Data	Bias Adjusted (1)	Distance Corrected to Nearest Exposure (2)
19N	94 Bondgate Castle Donington	29	33	23	26	35	42	21	28	31	33	43	41	32.24	32.56	30.97
20N	Derby Road Kegworth	32	28	22	24	22	24	24	27	30	32	39	43	28.84	29.13	28.27
22N	Kegworth A6 2	29	35	26	36	31	27	27	30	33	37	44	42	33.17	33.50	N/A
23N	120 Whatton Road Kegworth	19	21	16	17	10	31	14	17	19	24	30	31	20.64	20.84	Not Roadside
26N	Molehill House	35	31	28	11	24	34	33	28	28	30	37		29.16	29.45	N/A
31N	Sinope	21	22	17	18	17	51	21	58	22	26	59	34	30.44	30.75	24.30
32N	M1 Bridge Copt Oak	65	60	53	52	60	31	52	36	61	58	49	77	54.48	55.02	Not Roadside
35N	Monitoring station Coalville (1)	32	34	31	32	50	35	29	38		43	47		37.18	37.56	29.99
36N	Monitoring station Coalville (2)	32	40	33	32	42	35	27	35		37	49		36.10	36.46	29.24
39N	NEW M1 LW	19								27		29	33	27.01	27.28	Not Roadside
40N	35 High Street Castle Donington	25	26	20	20		18	16	20	25	29		33	23.28	23.51	20.72

Site ID		NO ₂	Mean	Conc	entra	tions (µg.m⁻	³)								
Ð														Annual	Mean	
		Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Raw Data	Bias Adjusted (1)	Distance Corrected to Nearest Exposure (2)
41N	18 High Street Castle Donington	36	37	30	37	47	35	36	30	38	37	49	45	38.05	38.43	30.46
43N	Direction Sign Bardon Rd/A511 RBT Coalville	26	26	22	22	32	23	17	25	32	35	42	43	28.80	29.09	26.77
45N	Outside corner farm Copt Oak	33	36	27	25	33	35	24	32	33	36	43	43	33.18	33.51	25.49
46N	PO Derby Road Kegworth	29	34	30	34	45	24	24	33	42	44	53	44	36.35	36.72	N/A
47N	12 Derby Rd Kegworth	33	36	26	31	33	35	26	35	36	39	49	47	35.38	35.73	31.25
48N	28 London Road Kegworth	29	34	31	31	34	30	29	29	39	42	46	44	34.84	35.19	33.37
49N	Hugglescote crossroads	33	39	26	25	32	27	25	34	39	36	46	47	34.05	34.39	29.08
50N	10 Central Road Hugglescote	37	33	28		31	35	14	36	38	34	46	50	34.71	35.06	26.53
51N	40mph sign N of petrol station Kegworth	33	33	27	26	28	28	31	28	36	36	46	13	30.37	30.67	29.02


Site ID		NO ₂	Mean	Conc	entrat	tions (µg.m∹	³)								
D														Annual	Mean	
		Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Raw Data	Bias Adjusted (1)	Distance Corrected to Nearest Exposure (2)
52N	lamppost 65 Derby Road Kegworth	31	33	25	24	29		36	31	33	33	42		31.85	32.16	30.36
53N	20mph sign outside 10 Greenhill Road	22	25	20	18	21	16	15	18	22	28	33		21.65	21.87	23.15
54N	Parking restrictions sign adj drive 12 & 20 Park Lane Castle Donington	28	26	17	22	26	16		23					22.60	22.82	19.28
56N	lampost adjacent 27 Broomleys road	42	40	32	32	25	29	30	37	35	37	42	46	35.52	35.88	N/A

Appendix C: Public Health Outcomes Framework


Data is taken from http://www.phoutcomes.info/public-health-outcomes-framework#page/0/gid/1000043/pat/104/ati/101/are/E07000131 http://www.phoutcomes.info/public-health-outcomes-framework#page/0/gid/1000043/pat/104/ati/101/are/E07000131 http://www.phoutcomes.info/public-health-outcomes-framework#page/0/gid/1000043/pat/104/ati/101/are/E07000131 http://www.phoutcomes.info/public-health-outcomes-framework#page/0/gid/1000043/pat/104/ati/101/are/E07000131 http://www.phoutcomes-framework#page/0/gid/1000043/pat/104/ati/101/are/E07000131 http://www.phoutcomes-framework#page/0/gid/1000043/pat/104/ati/101/are/E07000131 http://www.phoutcomes-framework#page/0/gid/100043/pat/104/ati/101/are/E07000131 http://www.phoutcomes-framework#page/0/gid/100043/pat/104/ati/101/are/E07000131 http://www.phoutcomes-framework#page/0/gid/104/ati/101/are/E07000131 <a href="http://www.phoutcomes-framework#page/0/gid/104/ati/104/at



Appendix D: Map(s) of Monitoring Locations








LAQM Annual Status Report 2017

Appendix E: Maps of AQMA's

Figure E.1 Kegworth AQMA (highlighted in blue).









Figure E.3 Castle Donington Air Quality Management Area









Appendix F: Summary of Air Quality Objectives in England

Pollutant	Air Quality Objective4	
	Concentration	Measured as
Nitrogen Dioxide (NO ₂)	200 µg.m ⁻³ not to be exceeded more than 18 times a year	1-hour mean
	40 μg.m ⁻³	Annual mean
Particulate Matter (PM ₁₀)	50 µg.m ⁻³ , not to be exceeded more than 35 times a year	24-hour mean
	40 μg.m ⁻³	Annual mean
Sulphur Dioxide (SO ₂)	350 µg.m ⁻³ , not to be exceeded more than 24 times a year	1-hour mean
	125 μg.m ⁻³ , not to be exceeded more than 3 times a year	24-hour mean
	266 µg.m ⁻³ , not to be exceeded more than 35 times a year	15-minute mean

Table F.1 Summary of Air Quality Objectives in England

 $^{^4}$ The units are in microgrammes of pollutant per cubic metre of air (µg/m³).

Appendix G: QA/QC Data

QA/QC of automatic monitoring

The analyser at Coalville is an API 200 chemiluminescence analyser,

Routine instrument calibrations are conducted once per month, which involve zero and span checks, a written record of the gas analyser diagnostics and a general visual inspection of all equipment is undertaken.

Data retrieval and daily data checking

Data from the monitoring station is retrieved and processed on a data logger as 15-minute mean data. The logger is interrogated via a Siemens TC35i GSM modem at 8-hourly intervals by the ENVIEW 2000 software hosted at TRL. This is used to retrieve, check and archive data.

TRLs internal QA/QC procedures require all data to be backed up on a secure server and all documentation associated with each site to be uniquely identified and securely stored to provide an audit trail.

Daily data inspections are undertaken during office hours using the facilities of the Data Management System. Initial observations of the Management System indicate whether the site has been contacted during its nominated 'poll time' overnight. If this has not been successful a manual poll of the site may be required. If this is not successful further investigation of the communications integrity will be required to establish contact with the site modem and data logger.

Three day plots of recorded data are viewed for the requested site, and these are inspected and assessed for continuity, validity, minimum and maximum values, date and time, power failures and general integrity. All anomalies are recorded on the Daily Check sheet, as required. Any anomalies or queries arising from daily inspection of data, or system operation, are brought to the attention of the Project Manager who will evaluate the situation, and initialise any necessary action. In the event that the PM is not available, contact will be made with the next available senior

person within the monitoring team. Any issues identified with equipment operation will be referred to the client for attention within 24 hours (excluding weekends).

On a weekly basis, data are examined using summary statistics and outlier analysis to establish data validity. In the event that unusual data episodes are recorded, these would be routinely examined over longer data periods to establish their impact on trends, but would also be cross referenced with data peaks and troughs recorded at other national monitoring stations. In addition, integrity and validity of data logger clock times are checked, and any significant errors recorded in the Data Management System logbook.

All site data recorded through the Data Management System is archived on TRLs Network. The data is backed up daily, and the TRL IT Department maintains these data within their long-term and secure archives. This secures all data in the event of any system failure.

Data calibration and ratification

Data is ratified as per AURN recommended procedures. The calibration and ratification process for automatic gas analysers corrects the raw dataset for any drift in the zero baseline and the upper range of the instrument. This is done using a Microsoft Excel-based calibration and ratification file which incorporates the zero and span check information from the calibration visits. The zero reading recorded during the calibration visits is used to adjust any offset of the baseline of the data. The difference between the span value obtained between one calibration visit and the next visit is used to calculate a factor. This change is assumed to occur at the same rate over the period between calibrations and as such the factor is used as a linear data scaler. This effectively results in the start of the period having no factor applied and the end of the period being scaled with the full factor with a sliding scale of the factor inbetween. After applying the calibration factors, it is essential to screen the data, by visual examination, to see if they contain any unusual

measurements or outliers. Errors in the data may occur as a result of equipment failure, human error, power failures, interference or other disturbances. Data validation and ratification is an important step in the monitoring process. Ratification involves considerable knowledge of pollutant behaviour and dispersion, instrumentation characteristics, field experience and judgement.

On completion of this data correction procedure, these data were converted to hourly means and a summary of these data were provided to North West Leicestershire District Council.

Appendix H: Glossary of Terms

Please add a description of any abbreviation included in the ASR – An example is provided below.

Abbreviation	Description	
AQAP	Air Quality Action Plan - A detailed description of measures, outcomes, achievement dates and implementation methods, showing how the local authority intends to achieve air quality limit values'	
AQMA	Air Quality Management Area – An area where air pollutant concentrations exceed / are likely to exceed the relevant air quality objectives. AQMAs are declared for specific pollutants and objectives	
ASR	Air quality Annual Status Report	
Defra	Department for Environment, Food and Rural Affairs	
DMRB	Design Manual for Roads and Bridges – Air quality screening tool produced by Highways England	
EU	European Union	
FDMS	Filter Dynamics Measurement System	
LAQM	Local Air Quality Management	
NO ₂	Nitrogen Dioxide	
NOx	Nitrogen Oxides	
PM ₁₀	Airborne particulate matter with an aerodynamic diameter of 10µm (micrometres or microns) or less	
PM2.5	Airborne particulate matter with an aerodynamic diameter of 2.5µm or less	
QA/QC	Quality Assurance and Quality Control	
SO ₂	Sulphur Dioxide	

Appendix I: References

- Previous Review and Assessment Reports North West Leicestershire District Council, 2003a, Air Quality Stage 4 Review and Assessment.
 Coalville: North West Leicestershire District Council. Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm</u> <u>ent [Accessed 11/06/2019]</u>
- [2] North West Leicestershire District Council, 2003b, Air Quality Updating and Screening Assessment 2003. Coalville: North West Leicestershire District Council. Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm</u> ent [Accessed 11/06/2019]
- [3] North West Leicestershire District Council, 2005a, Air Quality Detailed Assessment. Coalville: North West Leicestershire District Council. Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm</u> <u>ent</u> [Accessed 11/06/2019]
- [4] North West Leicestershire District Council, 2005b, Air Quality Progress Report 2005. Coalville: North West Leicestershire District Council. Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm</u> <u>ent</u> [Accessed 11/06/2019]
- [5] North West Leicestershire District Council , 2006, Air Quality Updating and Screening Assessment 2006. Coalville: North West Leicestershire District Council. Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm</u> <u>ent</u> [Accessed 11/06/2019]
- [6] North West Leicestershire District Council, 2007, Air Quality Detailed Assessment for Coalville and Castle Donington. Coalville: North West Leicestershire District Council. Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm</u> <u>ent</u> [Accessed 11/06/2019]

- [7] Conestoga-Rovers & Associates (Europe) Ltd, 2008, Air Quality Progress Report 2008 Report No. 933628. Coalville: North West Leicestershire District Council. Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm</u> <u>ent</u> [Accessed 11/06/2019]
- [8] Conestoga-Rovers & Associates (Europe) Ltd, 2009a, Air Quality Detailed Assessment For East Midlands Airport Report No.933690-1. Coalville: North West Leicestershire District Council. Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm</u> <u>ent</u> [Accessed 11/06/2019]
- [9] Conestoga-Rovers & Associates (Europe) Ltd, 2009b, Air Quality Detailed Assessment For Copt Oak Report No. 933690-2-RPT2. Coalville: North West Leicestershire District Council. Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm</u> <u>ent</u> [Accessed 11/06/2019]
- [10] Conestoga-Rovers & Associates (Europe) Ltd, 2009c, Air Quality Further Assessment Of Bardon Road AQMA, Coalville Report No. 933690-2-RPT3. Coalville: North West Leicestershire District Council. Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm</u> ent [Accessed 11/06/2019]
- [11] Conestoga-Rovers & Associates (Europe) Ltd, 2009d, Air Quality Further Assessment of Castle Donington AQMA Report No.933690-4. Coalville: North West Leicestershire District Council. Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm</u> <u>ent</u> [Accessed 11/06/2019]North West Leicestershire District Council, 2009e, Air Quality Update and Screening Assessment 2009. Coalville: North West Leicestershire District Council. Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm</u> <u>ent [Accessed 11/06/2019]</u>
- [12] North West Leicestershire District Council, 2010a, Air Quality Progress Report 2010, Coalville: North West Leicestershire District Council. Available at:

https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm ent [Accessed 11/06/2019]

- [13] North West Leicestershire District Council, 2010b, Air Quality Detailed Assessment for SO₂, Coalville: North West Leicestershire District Council Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm</u> ent [Accessed 11/06/2019]
- [14] North West Leicestershire District Council, 2011a, Air Quality Detailed Assessment of Coalville AQMA, Coalville: North West Leicestershire District Council. Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm</u> ent [Accessed 11/06/2019]
- [15] North West Leicestershire District Council, 2011b, Air Quality Detailed Assessment of M1 AQMA, Coalville: North West Leicestershire District Council. Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm</u> ent [Accessed 11/06/2019]
- [16] North West Leicestershire District Council, 2011c, Air Quality Progress Report 2011, Coalville: North West Leicestershire District Council. Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm_ent</u> [Accessed 11/06/2019]
- [17] North West Leicestershire District Council, 2011d, 2011 Air Quality Detailed Assessment of 1-hour Mean Air Quality Standard at Broomleys junction Coalville, Coalville: North West Leicestershire District Council. Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm</u> ent [Accessed 11/06/2019]
- [18] North West Leicestershire District Council, 2012a, 2012 Air Quality Update and Screening Assessment 2012, Coalville: North West Leicestershire District Council. Available at:

https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm ent [Accessed 11/06/2019]

[19] North West Leicestershire District Council, 2012b, 2012 Air Quality Detailed Assessment of Annual Mean Air Quality Standard at Castle Donington, Coalville: North West Leicestershire District Council. Available at:

https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm ent [Accessed 11/06/2019]

- [20] North West Leicestershire District Council, 2012c, 2012 Air Quality Further Assessment of Annual Mean Air Quality Standard at Copt Oak, Coalville: North West Leicestershire District Council. Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm</u> <u>ent</u> [Accessed 11/06/2019]
- [21] North West Leicestershire District Council, 2012d, 2012 Air Quality Detailed Assessment of Annual Mean Air Quality Standard at Kegworth, Coalville: North West Leicestershire District Council. Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm</u> <u>ent</u> [Accessed 11/06/2019]
- [22] North West Leicestershire District Council, 2013, 2013 Air Quality Further Assessment of Coalville AQMA, Coalville: North West Leicestershire District Council. Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm</u> ent [Accessed 11/06/2019]
- [23] North West Leicestershire District Council, 2014, 2014 Air Quality Progress Report, Coalville: North West Leicestershire District Council. Available at: <u>https://www.nwleics.gov.uk/pages/local_air_quality_review_and_assessm_ent</u> [Accessed 11/06/2019]

Acts and Statutory Instruments and orders

- [24] Environment Act 1996 (c. 25), London: Her Majesty's Stationary Office Available at: <u>http://www.legislation.gov.uk/ukpga/1995/25/contents</u>
 [Accessed 11/06/2019]
- [25] Air Quality (England) Regulations 2000 SI 2000/0928, London: HMSO Available at: <u>http://www.legislation.gov.uk/uksi/2000/928/contents/made</u> [Accessed 11/06/2019]]
- [26] Air Quality (England) (Amendment) Regulations 2002 SI 2002/3043, London: HMSO. Available at: <u>http://www.legislation.gov.uk/uksi/2002/3043/contents/made</u> [Accessed 11/06/2019]
- [27] The Air Quality Standards Regulations 2007 SI 2007/0717, London: HMSO Available at <u>http://www.legislation.gov.uk/uksi/2007/64/contents/made</u> [Accessed 11/06/2019]
- [28] The Air Quality Standards Regulations 2010 SI 2010/1001, London: HMSO. Available at <u>http://www.legislation.gov.uk/uksi/2010/1001/contents/made</u> [Accessed 11/06/2019]
- [29] North West Leicestershire District Council Air Quality Management Order 2009 (No. 1), 2009 Coalville: North West Leicestershire District Council. Available at <u>http://www.nwleics.gov.uk/pages/air_quality_managment_area_copt_oak</u> [Accessed 11/06/2019]
- [30] North West Leicestershire District Council Air Quality Management Order 2008 (No. 1), 2008, Coalville: North West Leicestershire District Council. Available at <u>http://www.nwleics.gov.uk/pages/air_quality_managment_area_castle_do</u> <u>nington</u> [Accessed 11/06/2019]
- [31] North West Leicestershire District Council Air Quality Management Order 2008 (No. 2), 2008, Coalville: North West Leicestershire District Council. Available at

http://www.nwleics.gov.uk/pages/air_quality_managment_area_coalville [Accessed 11/06/2019]

- [32] The North West Leicestershire District Council (Kegworth Air Quality Management Area) Order 2001, 2001, Coalville: North West Leicestershire District Council Available at <u>http://www.nwleics.gov.uk/pages/air_quality_managment_area_high_stree</u> <u>t_kegworth</u> [Accessed 11/06/2019]
- [33] North West Leicestershire District Council (M1 Air Quality Management Area) Order 2001, 2001, Coalville: North West Leicestershire District Council Available at <u>http://www.nwleics.gov.uk/pages/m1_mole_hill_farm_kegworth</u> [Accessed 11/06/2019]
- [34] M1 Air Quality Management Area (nitrogen dioxide) Revocation Order 2004, 2004, Coalville: North West Leicestershire District Council Available at <u>http://www.nwleics.gov.uk/pages/m1_mole_hill_farm_kegworth</u> [Accessed 11/06/2019]
- [35] Air Quality Management Area (Nitrogen Dioxide) Amendment Order 2011 (No.1), 2011, Coalville: North West Leicestershire District Council Available at <u>http://www.nwleics.gov.uk/pages/m1_mole_hill_farm_kegworth</u> [Accessed 11/06/2019]
- [36] Air Quality Management Area (Nitrogen Dioxide) Amendment Order 2011 (No.)2, 2011, Coalville: North West Leicestershire District Council Available at <u>http://www.nwleics.gov.uk/pages/air_quality_managment_area_coalville</u> [Accessed 11/06/2019].

British Standards

[37] British Standards Institution, 2007. BS EN 15259:2007 Air quality. Measurement of stationary source emissions. Requirements for Progress Report 32 measurement sections and sites and for the measurement objective, plan and report. Milton Keynes: BSI

[38] British Standards Institution 2007. BS ISO 4226:2007 - Air quality. General aspects. Units of measurement. Milton Keynes: BSI

4.3 Technical guidance

- [39] Department for Food and Rural Affairs, 2009, *Local Air Quality Management Technical Guidance LAQM.TG(09)*. Department for Food and Rural Affairs
- [40] Department For Environment Food and Rural Affairs. 2010. Errata to LAQM.TG(09): Is the example in Box 2.1 of TG(09) correct? London: Department for Environment Food and Rural Affairs.[Online] Available at <u>http://laqm2.defra.gov.uk/supportguidance/</u> [accessed 15/02/2011]
- [41] Department for Food and Rural Affairs, 2009. Local Air Quality Management Policy Guidance LAQM.PG(09). London: Department for Food and Rural Affairs
- [42] Department for Food and Rural Affairs, 2003. Local Air Quality Management Technical Guidance LAQM.TG(03). London: Department for Food and Rural Affairs

Other Documents

- [43] AEA, 2007a, National Atmospheric Emissions Inventory. <u>www.naei.org.uk</u> Department for Food and Rural Affairs
- [44] AEA, 2010, Quality assurance/quality control (QA/QC) framework. [Online] London: Department for Environment, Food and Rural Affairs. Available at: <u>http://laqm1.defra.gov.uk/review/tools/NO₂/qa-qc.php</u> [Accessed 21/03/2011]
- [45] Bureau Veritas, 2011, National Diffusion Tube Bias Adjustment Factor Spreadsheet. [online] London: Department for Environment Food and Rural Affairs. Available at: <u>http://laqm.defra.gov.uk/bias-adjustment-factors/bias-adjustment.html</u> [Accessed 11/06/2019]
- [46] Department for Food and Rural Affairs, 2007, The Air Quality Strategy for England, Scotland, Wales and Northern Ireland. CM 7169 NIA 61/06-07, London: Her Majesty's Stationary Office.

- [47] Department for Transport, 2008. Annual Average Daily Traffic Flows. London: Department for Transport <u>http://www.dft.gov.uk/matrix</u>
- [48] Highways Agency, 1992 (updated June 2010). Design Manual for Roads and Bridges Volume 11, Section 3 Environmental Assessment Progress Report 34 Techniques. Birmingham: Highways Agency. Available at: <u>http://www.standardsforhighways.co.uk/dmrb/index.htm</u> [accessed 25/10/2010].
- [49] Laxen & Marner. 2003. Analysis of the Relationship between 1-Hour and Annual Mean Nitrogen Dioxide at UK Roadside and Kerbside Monitoring Sites. Available from DEFRA,.
- [50] Office for National Statistics, updated 30 January 2013, Population Density, 2011 (QS102EW). [online] Available at: <u>http://neighbourhood.statistics.gov.uk/dissemination/LeadTableView.do?a</u> <u>=3&b=6275189&c=LE67+3FJ&d=13&e=61&g=6445343&i=1001x1003x10</u> <u>32x1004&m=0&r=0&s=1363603753470&enc=1&dsFamilyId=2491</u> North West Leicestershire District Council, updated 30th April 2012, Diffusion Tube Data [Online]. Available at: <u>http://www.nwleics.gov.uk/pages/air_quality_monitoring_NO2_diffusion_tu</u> <u>bes</u>
- [51] North West Leicestershire District Council, updated 30th April 2012, Automatic Monitoring Data [Online]. Available at: <u>http://www.nwleics.gov.uk/pages/air_quality_realtime_monitoring</u>